# Beach Wood

BW Series



### FOSHAN VIEWGRES CO.,LTD

Add:Floor 21st, Building T5, Smart City, No.1 Jihua Road, Foshan, Guangdong, China Tel:(0086) 757 8312 9750 Fax:(0086) 757 8312 9751

#### Viewgres N.A. Inc.

Add:1840 County Line Road, Unit 211, Huntingdon Valley, PA. 19006, U.S. Tel:+1 215-364-1840 Fax: +1 215-364-1542 400-112-2233 www.viewgres.com




## **Beach Wood**

Shade variation Product surface

A

V3 Anti-Slip

Schattierung



Due To Printing The Relationship May Be Different From The Actual Product Color. Please Prevail In Kind. 由于印刷关系,可能与实际产品颜色有所差异,请以实物为准!



BW2262A MANLY



BW2263A BONDI




BW2265A PYRMONT




BW2269A COOGEE

4 VIEWGRES 5 VIEWGRES



6 VIEWGRES 7 VIEWGRES








The wharf at Manly is the gateway to one of Sydney's most iconic seaside suburbs and lives up to it's reputation of being seven miles from the CBD, but a thousand miles from care.

With its bustling restaurants, bars and cafes, this historic wharf inspired the creation of the BEACHWOOD MANLY and reflects its most perfect outdoor mood.




8 VIEWGRES 9 VIEWGRES




BW2322A MANLY 300X1200X20mm BW2323A BONDI 300X1200X20mm

# **Beach Wood**

BW2262A MANLY 200X600X20mm







BW2323A BONDI 300X1200X20mm










Bondi beach is arguably one of Australia's most famous beaches and is the jewel of Sydney's laid back lifestyle. The colour of the BEACHWOOD BONDI was inspired by the Bondi Pavillion, where there are restaurants, galleries and a theatre for all to enjoy










BW2323A BONDI 300X1200X20 mm



BW2263 BONDI 200X600X20 mm

QZ2660A ICE SNOW 600X600X20 mm












Pyrmont, a former industrial area, is now a popular entertainment area packed with restaurants, bars, nightclubs and a world class casino. A walk along the water's edge inspired the colour and the structure of the BEACHWOOD PYRMONT.



BW2265A PYRMONT 200X600X20 mm


BW2465A PYRMONT 400X600X20 mm

BW2323A BONDI 300X1200X20 mm






BW2265A PYRMONT 200X600X20mm



BW2465A PYRMONT 400X600X20mm

24 VIEWGRES 25 VIEWGRES








The colour of the BEACHWOOD COOGEE is inspired by the Giles baths located at the foot of the northern headland of Coogee beach. A natural rock pool with intensely deep colour, it is known by the locals as the "Bogey Hole" and has been in use since the early nineteenth century





BW2265A PYRMONT 200X600X20 mm



BW2469A COOGEE BW2263 BONDI 400X600X20 mm 200X600X20 mm



BW2329A COOGEE 300X1200X20 mm




BW2469A COOGEE 400X600X20mm

BW2265A PYRMONT 200X600X20mm



BW2269A COOGEE 200X600X20mm



### INTERNATIONAL TECHNICAL STANDARDS:



Easy Installation - Viewgres outdoor porcelain pavers are specifically designed for quick and easy installation with multiple setting options.



Resistant- High compressive strength and ultra-low absorption rates create a dense surface that resists moold, moss, dirt and staining.



Skid-Resistant- Structured paver top textures feature non-slip surfaces contributing to superior safety conditions.



Color Durability- Our extensive selection of color, fused by vitrification, becomes an integral part of the actual porcelain surface and is not affected by external elements.



Freeze Resistant - Our porcelain tiles are capable of withstanding temperatures as low as-60°F.



Durable - Available in a diverse range of contemporary colors and designs.



Stylish- Available in a diverse range of contemporary colors and designs.



Modular Design - Viewgres outdoor porcelain pavers are precision rectified for ease of installation and to allow for creative designs utilizing multiple size slabs in homogeneous patterns.



Light Weight – A 37 lbs. for the 24'x24' paver permit easy installation, removal and serviceability (excludinig adhered installations)



Easy to Clean-Standard household cleaners can be used on Viewgres outdoor porcelain pavers which may also be pressure washed with a low pressure washing device.



Size Uniformity- All slabs are precision rectified to insure consistency and expedite the installation process.



Impermeable-De- icing salts and other equivalent materials can be used without concerns.



Ramp Skid Coefficient- Barefoot Ramp, Shod Ramp and Pendulum Friction tested.Rated R-11.



SRI Value- ASTM E903-35 TO 67.

### PERFECT FOR:

### EASY INSTALLATION OVER:

Gravel

Pool decks

Public Spaces

- Hotels Driveways
  - Patios
  - Steps
- Entranceways
  - Promenades Walkways
- Sand Concrete
- Grass Pedestals