




stone marble




By Terratinta Ceramiche®

The Classic alongside the Modern.
With Stonemarble collection, we aimed to
bring together the beauty of a classic like
Carrara marble with the fresh, innovative
and revolutionary style of patterns decors.
A unique interpretation, never seen before.
Terratinta style.



white





**60x60/ 30x60/ 30x30/ 15x15/
5x5 mosaic, marble patterns,**
three finishes: a complete project.
Satin finish: a classic and soft one.
Suitable for floors and walls in resi-
dential and light commercial traffic.
Polished finish: shiny, like a mirror.
Suitable for floors and walls, only
for residential use.
Silk finish: so smooth, looking like
a real marble. Only for indoor wall
cladding.






stone
marble *white*



60x60 polished





V2
Slight variation
Lieve variazione







60x60 satin




marble patterns

15x15 cm

[for wall application only]



aksel
01




charlie
02


You can choose:

-a box with **1 of the 12 available patterns** (12 pcs/box - 0,27 sq.mt.)

-a box with the **12 patterns mix** (12 pcs/box - 0,27 sq.mt.)



erik
03




gabriel
04




hugo
05




jakob
06




lucas
07




mathias
08




noah
09



ruben
10



theo
11










viggo
12



30x60 silk / 15x15 silk /
15x15 marble patterns mix



codes & packaging


								
			PIECES	SQ.MT.	KG	BOXES	SQ.MT.	KG
 60x60	satin	TTSMWH60SA	3	1,08	25,75	40	43,20	1.030
	polished	TTSMWH60P						
 30x60	satin	TTSMWH36SA	5	0,90	21,50	48	43,20	1.032
	polished	TTSMWH36P						
	silk	TTSMWH36SI						
 30x30	satin	TTSMWH30SA	11	1	22	30	30	660
 15x15	satin	TTSMWH15SA	44	1	23	48	48	1.104
	silk	TTSMWH15SI						
 15x15 marble patterns	satin		12	0,27	6	64	17,28	384
	aksel	TTSMWH01AK						
	charlie	TTSMWH02CH						
	erik	TTSMWH03ER						
	gabriel	TTSMWH04GA						
	hugo	TTSMWH05HU						
	jakob	TTSMWH06JA						
	lucas	TTSMWH07LU						
	mathias	TTSMWH08MA						
	noah	TTSMWH09NO						
	ruben	TTSMWH10RU						
	theo	TTSMWH11TH						
viggo	TTSMWH12VI							
marble patterns box mix	TTSMWHMIX15	12	0,27	6	64	17,28	384	



**30x30 mosaic
(chip 5x5)**


satın TTSMWHM5SA
polished TTSMWHM5P
silk TTSMWHM5SI

			PIECES	SQ.MT.	KG	BOXES	SQ.MT.	KG
			11	1	21	30	30	630
			14	8,40ml	14,70	-	-	-
			6	1,08	24,80	-	-	-



skirting 7x60

satın TTSMWHBSA












step 30x60

satın TTSMWHGSA

technical features

Valid for "Satin finish" only.

	Technical features	Test according to standard	Standard requirements	Test results
	Water absorption Assorbimento d'acqua Absorption d'eau Wasserhaufnahme Absorción de agua	UNI EN ISO 10545/3	$E \leq 0,5\%$	$E \leq 0,05\%$
	Sizes Dimensioni Dimensions Abmessungen Dimensiones y aspectos	UNI EN ISO 10545/2	Prospect G.1 Prospetto G.1 Feuille G.1 Prospekt G.1 Prospecto G.1	Compliant Conforme Conforme Erfüllt Conforme
	Flexural resistance Resistenza alla flessione Résistance la flexion Biegungsfestigkeit Resistencia a la flexión	UNI EN ISO 10545/4	$Min \geq 35 \text{ N/mm}^2$	$R > 50 \text{ N/mm}^2$
	Modulus of rupture Sforzo di rottura Charge de rupture Bruchlast Carga de ruptura		Thickness - Spessore - Epaisseur - Stärke - Espesor $< 7,5 \text{ mm}$ $S \geq 700 \text{ N}$ Thickness - Spessore - Epaisseur - Stärke - Espesor $\geq 7,5 \text{ mm}$ $S \geq 1300 \text{ N}$	Compliant Conforme Conforme Erfüllt Conforme
	Resistance to surface abrasion Resistenza all'abrasione superficiale Résistance l'abrasion superficielle Beständigkeit gegen oberflächenverschleiss Resistencia a la abrasión	UNI EN ISO 10545/7	Classi 0-5	5
	Thermal shock resistance Resistenza agli sbalzi termici Résistance aux écarts de température Temperaturwechselfähigkeit Resistencia a las variaciones termicas	UNI EN ISO 10545/9	Available method Metodo disponibile Méthode disponible Verfügbares Verfahren Ensayo disponible	Resistant Resiste Résistant Bestanfig Resiste
	Frost resistance Resistenza al gelo Résistance au gel Frostwiderstandsfähigkeit Resistencia a las heladas	UNI EN ISO 10545/12	Upon request Richiesta Exigée Notwendig Necesaria	Resistant Resiste Résistant Bestanfig Resiste
	Chemical resistance Resistenza ai prodotti chimici Résistance aux produits chimiques Chemikalienfestigkeit Resistencia a los productos quimicos	UNI EN ISO 10545/13	Must not produce noticeable signs of chemical attack / Non devono presentare apprezzabili segni d'attacco chimico / Ne doivent pas présenter des signes trop évidents l'attaque chimique / Sie dürfen keine sichtlichen Zeichen einer chemischen Zersetzung vor weisen/ No tienen que presentar apreciables signos de ataque quimico	Unaffected Non attaccati Non attaqués keine Einwirkung Ningún ataque
	Stain resistance Resistenza alle macchie Résistance aux taches Fleckenbeständigkeit Resistencia a las manchas	UNI EN ISO 10545/14	Class 3 min. Classe 3 min. Classe 3 min. Gruppe 3 min. Clase 3 min.	Min. 3
	Colours stability to light Stabilità a dei colori alla luce Stabilité des couleurs a la lumiere Lichtechtheit der farben Estabilidad de los colores frente a la luz	DIN 51094	Must not produce noticeable colour variation Non devono presentare apprezzabili variazioni di colore Ne doivent pas présenter des variations remarquables de la couleur Keine sichtbare Farbänderung ist erlaubt No tienen que presentar apreciables variaciones de color	Compliant Conforme Conforme Erfüllt Conforme

The Polished and Silk finishes are the result of a special mechanical process and can manifest small dots or hollows as well as a non-uniform shine all over the surface. These particularities are to be considered as intrinsic features of the product which give them a more natural appeal.

V2
Slight variation
Lieve variazione



“Stay hungry, stay foolish.”

S. Jobs 1955-2011



PROJECT BY TERRATINTA MKTG LAB
PRINTED IN ITALY, SEPTEMBER 2015
TERRATINTA CERAMICHE® ALL RIGHTS RESERVED

terratinta
ceramiche 

a brand of Mosaicnet srl

Showroom and Offices: 20, via Panaro 41042 Fiorano Modenese (Mo) ITALY
Tel. +39 0536911408 Fax. +39 05361940223

www.terratinta.com

 /TerraTinta Ceramiche

 @TerraTinta_Cer